

**Last 50 IPsec Log Entries. (Maximum 50)**

<b>Time</b>	<b>Process</b>	<b>PID</b>	<b>Message</b>
Jun 11 16:03:54	charon		09[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:54	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:53	charon		12[NET] <con2000 4> sending packet: from 10.10.0.5[4500] to SiteA[4500] (272 bytes)
Jun 11 16:03:53	charon		12[IKE] <con2000 4> retransmit 5 of request with message ID 1
Jun 11 16:03:47	charon		10[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:47	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:41	charon		12[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:41	charon		10[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:34	charon		10[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:34	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:28	charon		12[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:28	charon		10[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}

Time	Process	PID	Message
Jun 11 16:03:22	charon		10[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:22	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:15	charon		12[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:15	charon		10[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:11	charon		10[NET] <con2000 4> sending packet: from 10.10.0.5[4500] to SiteA[4500] (272 bytes)
Jun 11 16:03:11	charon		10[IKE] <con2000 4> retransmit 4 of request with message ID 1
Jun 11 16:03:09	charon		10[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:09	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:03:02	charon		12[CFG] ignoring acquire, connection attempt pending
Jun 11 16:03:02	charon		15[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:02:56	charon		15[CFG] ignoring acquire, connection attempt pending
Jun 11 16:02:56	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}

Time	Process	PID	Message
Jun 11 16:02:50	charon		12[CFG] ignoring acquire, connection attempt pending
Jun 11 16:02:50	charon		15[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:02:47	charon		15[NET] <con2000 4> sending packet: from 10.10.0.5[4500] to SiteA[4500] (272 bytes)
Jun 11 16:02:47	charon		15[IKE] <con2000 4> retransmit 3 of request with message ID 1
Jun 11 16:02:43	charon		15[CFG] ignoring acquire, connection attempt pending
Jun 11 16:02:43	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:02:37	charon		12[CFG] ignoring acquire, connection attempt pending
Jun 11 16:02:37	charon		15[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:02:34	charon		15[NET] <con2000 4> sending packet: from 10.10.0.5[4500] to SiteA[4500] (272 bytes)
Jun 11 16:02:34	charon		15[IKE] <con2000 4> retransmit 2 of request with message ID 1
Jun 11 16:02:30	charon		15[CFG] ignoring acquire, connection attempt pending
Jun 11 16:02:30	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}

Time	Process	PID	Message
Jun 11 16:02:27	charon		12[NET] <con2000 4> sending packet: from 10.10.0.5[4500] to SiteA[4500] (272 bytes)
Jun 11 16:02:27	charon		12[IKE] <con2000 4> retransmit 1 of request with message ID 1
Jun 11 16:02:24	charon		13[IKE] <con2000 4> delaying task initiation, IKE_AUTH exchange in progress
Jun 11 16:02:24	charon		13[IKE] <con2000 4> queueing CHILD_CREATE task
Jun 11 16:02:24	charon		12[KNL] creating acquire job for policy 10.10.0.5/32 /0 === SiteA/32 /0 with reqid {1}
Jun 11 16:02:23	charon		12[NET] <con2000 4> sending packet: from 10.10.0.5[4500] to SiteA[4500] (272 bytes)
Jun 11 16:02:23	charon		12[ENC] <con2000 4> generating IKE_AUTH request 1 [ IDi N(INIT_CONTACT) IDr AUTH N(ESP_TFC_PAD_N) SA TSi T Sr N(MULT_AUTH) N(EAP_ONLY) N(MSG_ID_SYN_SUP) ]
Jun 11 16:02:23	charon		12[IKE] <con2000 4> establishing CHILD_SA con2000{12}
Jun 11 16:02:23	charon		12[CFG] <con2000 4> configured proposals: ESP:AES_CBC_256/HMAC_SHA2_256_128/NO_EXT_SEQ
Jun 11 16:02:23	charon		12[CFG] <con2000 4> 192.168.1.0/24 /0
Jun 11 16:02:23	charon		12[CFG] <con2000 4> proposing traffic selectors for other:
Jun 11 16:02:23	charon		12[CFG] <con2000 4> 10.10.0.0/24 /0

Time	Process	PID	Message
Jun 11 16:02:23	charon		12[CFG] <con2000 4> proposing traffic selectors for us:
Jun 11 16:02:23	charon		12[IKE] <con2000 4> successfully created shared key MAC